ULTRA THERMO

COLD TEST CHAMBER

The Design Brief

- Leading-edge technology
- Service-proven, maintenance-friendly
- Highest possible quality, reliability and durability
- Economical to run, environmentally friendly







STAND ALONE

Internal Volume 125Ltrs to 2000Ltrs

Performance

Temp Range: Ambient to -65°C Control Accuracy: with in +/- 0.5°C

Gradient Accuracy: +/- 1°C

Ramp Rate: 2°C to 5°C / min between

Ambient & -40 °C



Standard Facilities

Access Port with silicone plug 5 Pane Viewing Window

Viewing Light

SS 304 Loading Tray

Drain for Condensate

Strip heaters for Door and

Window

Emergency Stop

Door Interlock

Single Phase Preventer

RS232C interface with PC S/w All possible alarms & interlock

Low and High Temperature

cutoff

Optional

Touch Screen Controller

ULTRA THERMO SCIENTIFIC

New No. 19, Old No, 3A, Manimegalai Street, East Tambaram, Chennai 600 059 Phone: 9841025507 Email: <u>ultrathermoscientific@gmail.com</u>; <u>thermo@yours.com</u> TNGST 0962538/03-04: CST 770373 dt. 17.9.03

ULTRA THERMO


Others

Air / Water Cooled Refrigeration System (Single /Cascaded) with CFC Free refrigerant Factory Calibration Certificate traceable to NABL

16 SWG MS Powder Coated Exterior

16SWG SS304 Interior with Full TIG Welding

Danfos Refrigeration Accessories Programmable PID Controller











- All the electrical items used will be of standard IP grade suitable for Humidity chamber
- All the switch gears and MCB's used in the construction shall be of high quality reputed brands.(Schneider Electric)

ULTRA THERMO SCIENTIFIC

New No. 19, Old No, 3A, Manimegalai Street, East Tambaram, Chennai 600 059 Phone: 9841025507 Email: <u>ultrathermoscientific@gmail.com</u>; <u>thermo@yours.com</u> TNGST 0962538/03-04; CST 770373 dt. 17.9.03

ULTRA THERMO

Advantages

The systems designed for 35degC Ambient. No Air Conditioning required for full performance.

Direct Sales and Service Support from the Manufacturers. The Equipment will be designed, manufactured and proved to your requirement. Full and immediate technical support will be available directly from the manufacturer.

Spares will be available off-the-shelf and the equipment can be brought back to working condition even at the worst breakdown scenario with in 3-5 working days.

Direct application oriented support from the factory.

Can be made to order. Can be custom made to meet all the specifications.

Factory will be directly involved in the installation and support of the supplied systems. .



Heat / Cold / Constant Climates / Alternating Temperatures / Alternating Climate

IEC 60068,

IEC 60721-4,

DIN40046, part 3,

DIN 72300-4,

DIN 40046

MIL-STD-810, MIL-E-5272, MIL-STD-202

MIL-STD-331

ULTRA THERMO SCIENTIFIC

New No. 19, Old No, 3A, Manimegalai Street, East Tambaram, Chennai 600 059 Phone: 9841025507 Email: <u>ultrathermoscientific@gmail.com</u>; <u>thermo@yours.com</u> TNGST 0962538/03-04; CST 770373 dt. 17.9.03